

Notice of Allowability	Application No.	Applicant(s)	•	
	10/625,609	DASIKA ET AL.		
	Examiner	Art Unit		
	Guerssy Azemar	2613		
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS	
1. This communication is responsive to <u>07/24/2003</u> .	•			
2. $igspace$ The allowed claim(s) is/are <u>1-12</u> .				
 Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	been received. been received in Application No	 	tion from the	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 			OTICE OF	
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the state of the property of the state of the property of the prope	on's Patent Drawing Review (PTO-9 . s Amendment / Comment or in the O .84(c)) should be written on the drawin	ffice action of	e back) of	
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application		
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary (PTO-413),			
3. ☐ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Dat 7. ⊠ Examiner's Amendn	Paper No./Mail Date 7. ⊠ Examiner's Amendment/Comment		
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	nt of Reasons for Allo	wance	
of Biological Material	9. Other	•		
KENNETH VANDERPUYE SUPERVISORY PATENT EXAMINER				

Application/Control Number: 10/625,609

Art Unit: 2613

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Christopher L. Bernard on February 22, 2007.

The application has been amended as follows:

In claim 1, line 15, - of said hub network element - has been inserted immediately after "said transceiver".

In claim 6, line 3, the word "ah" has been replaced by - an -, and the period in front of the word clockwise has been eliminated.

Allowable Subject Matter

- 2. Claims 1-12 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: The prior art does not teach or fairly suggests a communication system providing tandem protection in a ring network, the system comprising a remote network element including a protection component for transmitting and receiving a protection signal generated by a protection transceiver located in a hub network element and that the protection component operating in a loop back mode when said transceiver of said hub network element is operational, also said protection component coupling said protection signal to

Application/Control Number: 10/625,609

Art Unit: 2613

a clockwise transceiver and counter-clockwise transceiver when the transceiver of the hub network element is not operational providing 1:N protection.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Guerssy Azemar whose telephone number is (571) 270-1076. The examiner can normally be reached on Mon-Fri (every other Fridays off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kenneth Vanderpuye can be reached on (571) 272-3078. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/625,609

Art Unit: 2613

Guerssy Azemar

02/22/2007

KENNETH VANDERPUYE SUPERVISORY PATENT EXAMINER